POPULATION ESTIMATE	ES	LONG-TERM CARE		LOCAL HEALTH DEPART	
Total 2004 Population Population per square mile	577	Community Options and MA War as HSRS reports costs for se	ervices	Staffing - FTE Number	Per 10,000 Population 3.0
Age Female Male 0-14 15,880 17,070 15-19 5,700 6,130 20-24 5,370 5,480 25-29 5,570 5,530 30-34 5,220 5,450 35-39 5,920 6,120 40-44 6,890 7,060 45-54 11,340 11,500 55-64 7,140 6,770 65-74 4,660 3,870 75-84 3,810 2,450	Total 32,950 11,830 10,850 11,100 10,670 12,040 13,950 22,840 13,900 8,530 6,260	Clients COP 47 MA Waiver * CIP1A 31 \$ CIP1B 187 \$ CIP2 89 \$ COP-W 353 \$ CLTS 44 Brain Injury 6 Total COP/Wvrs 757 \$15 \$804,087 of the above wa: were paid as local match/ownsing COP funds. This amone not included in above COP of	1,417,376 5,684,012 1,322,427 4,760,222 \$790,069 \$169,837 5,017,286 iver costs vermatch unt is	Total staff 46.6 Administrative 5.0 Public health nurses 18.5 Other prof. staff 16.7 Technical/Paraprof. Support staff 6.5 Funding Total \$4,678,020 Local Taxes \$1,859,287 LICENSED ESTABLISHM Type Capacity Bed & Breakfast 17	Per capita) \$29.97 7 \$11.91 MENTS
Total 79,320 78,170 Age Female Male 0-17 19,260 20,790 18-44 31,290 32,050 45-64 18,480 18,270 65+ 10,300 7,050	2,570 157,480 Total 40,050 63,340 36,740 17,360 157,480	* Waiver costs reported her include federal funding. Clients Eligible and Waiting 560	re Costs n/a	Type Capacity Bed & Breakfast 1 Camps 576 Hotels, Motels 1,308 Tourist Rooming Pools Restaurants Vending	665 28
Poverty Estimates for 2000 Estimate All ages 11,213 7.5% Ages 0-17 4,001 9.9%	(C.I.+/-) 543 (5%) 287 (7%)	Note: Eligible and waiting of will be phased into the Co Waivers as available.	clients	Pregnant/Postpartum Infants Children, age 1-4 Total	Number
Labor Force Estimates	d \$33,888 Annual Average	Home Health Agencies Patients Patients per 10,000 pop. Nursing Homes Licensed beds Occupancy rate Residents on Dec.31 Residents age 65 or older per 1,000 population	99 1,104	Primary Site Breast Cervical Colorectal Lung and Bronchus Prostate Other sites Total Note: Totals shown are for invasive cancers only	85 4 66 116 105 296 672

				NATA	LITY					
TOTAL LIVE BIRTHS	TAL LIVE BIRTHS 2,125		Birth O		Births Percent		Marital		Diath.	D
Omida Liva Binth Bata		40 5	First		799	38	of Moth		Births	Percent
Crude Live Birth Rate		13.5	Second		698	33	Marrie		1,371	65
General Fertility Rat	e	61.3	Third		393	18		rried	753	35
			Fourti	n or higher		11	Unknow	n	1	<.5
Live births with repo	rted		Unkno	wn	0	0				
congenital anomalies	1	7 0.8%					Educati			_
							of Moth		Births	Percent
Delivery Type	Births	Percent		natal Visit		Percent		tary or les		3
Vaginal after			1st t	rimester	1,825	86	Some h	igh school	281	13
previous cesarean Forceps	27	1	2nd t	rimester	228	11	High s	chool ollege	640	30
Forceps	14	1	3rd t	rimester	46	2	Some c	ollege	552	26
Other vaginal	1,488 339	70	No vi		46 13	1	Colleg	e graduate	557	26
Primary cesarean	339	16	Unkno	wn	13	1	Unknow	n	31	1
Repeat cesarean	257	12								
•			Prenata:	l Visits	Births	Percent	Smoking	Status		
Birthweight	Births	Percent	No vi	sits	13	1	of Moth	er	Births	Percent
<1,500 gm	23	1.1	1-4		28	1	Smoker		276	13
1.500-2.499 am	146	6.9	5-9		314	15		ker	1.847	87
2.500+ am	1.954	92.0	10-12		917	43	Unknow	n	´ 2	<.5
<1,500 gm 1,500-2,499 gm 2,500+ gm Unknown	´ 2	<.5	13+		792	37				
			Unkno	vn	61	3				
			Low Birtl	 nweiaht		Trimest	er of Fir	st Prenatal	Visit	
	(under 2	.500 am)	1st Trimester 2nd Trimester (Other/	Unknown		
Race/Ethnicity	Births F	Percent	Births	Percent	Births	Percent	Births	Percent	Births	Percent
	1,544	73	112	7.3	1,392	90	117	8	35	2
Black/Afr.American	199	9	30	15.1	143	72	39	20	17	9
American Indian	19				14	74	4	21	1	5
Hispanic/Latino	328	15	22	6.7	245	75	65	20	18	5
Lantian/Hmong	2	< 5	*	017	*	, 0	*	20	*	Ŭ
American Indian Hispanic/Latino Laotian/Hmong Other/Unknown	33	`.0	4	12.1	29	88	3	9	1	3
Fertility			Low Birthweight (under 2,500 gm)		Trimest		er of First Prenata 2nd Trimester		ıl Visit Other/Unknown	
Age of Mother	Births	Rate	Births I	Jorcon+	Dintho	Percent		Percent		Percent
<15	BTI. CIIS	насе	PTI.CIIS I	- el Gell	PTI.CIIS	reitellt	PTI.CIIS	Fercent	PTI.CII2	reidelit
15-17	69	20	10	14.5	46	67	18	26	5	7
18-17	127	20 55	9	7.1	46 94	74	31	26 24	2	
										2
20-24	537	100	43	8.0	442	82	75 46	14	20	4
25-29	619	111	49	7.9	553	89	46	7	20	3
30-34	490	94	39	8.0	443	90	33	7	14	3
35-39	241	41	15	6.2	214	89	18	7	9	4
40+	38	6	3	7.9	31 *	82	6	16	1	3
	1		*		*		*		*	
Unknown	1			•		•		•		•

MORBIDITY							
REPORTED CASES OF SELECTED [DISEASES*	neonatal, and Perinatal and	l postneor I fetal de	natal death eath rates	per 100,000 population. rates are per 1,000 liv are per 1,000 live birth culated for fewer than 2	ve births. ns plus	
Disease Campylobacter Enteritis Giardiasis	Number 36 8 0	TOTAL DEATHS Crude Death Ra	ite	1,295 822	Selected Underlying Cause Heart Disease (total)	334	Rate 212 137
Hepatitis Type A Hepatitis Type B** Hepatitis NANB/C	5 99	Age 1 - 4	Deaths 5	Rate	Ischemic heart diseas Cancer (total) Trachea/Bronchus/Lung	308	196 62
Legionnaire's Lyme	0 0	5-14 15-19	3 4		Colorectal Female Breast	32 29	20 37*
Measles Meningitis, Aseptic	0 6	20-34 35-54	29 139	89 285	Cerebrovascular Diseas Lower Resp. Disease	78	65 50
Meningitis, Bacterial Mumps Pertussis	0 0 193	55-64 65-74 75-84	134 214 339	964 2,510 5,420	Pneumonia & Influenza Accidents Motor vehicle	62	22 39 15
Salmonellosis Shigellosis	28 12	85+	414	16,140	Diabetes Infect./Parasitic Dis		33
Tuberculosis	<5	Infant			Suicide	19	
* 2004 provisional data. ** Includes all positive HBsA	∖ g	Mortality Total Infant Neonatal	Deaths 14	Rate	* Based on female popu		
test results.		Neonatal Postneonatal Unknown		:	ALCOHOL AND DRUG ABUSE OR CONTRIBUTING CAL		
Sexually Transmitted Diseas Chlamydia Trachomatis	se 604	Race of Mother	•	•	Alcohol Tobacco Use	26 248	17 157
Genital Herpes Gonorrhea	67 116	White Black	7 6		Other Drugs		14
Syphilis	<5	Hispanic Laotian/Hmong	1		MOTOR VEHIC	E CRASHES	
IMMUNIZATIONS		Other/Unknown Birthweight	•	•	Note: These data are be of crash, not o		
Children in Grades K-12 by Compliance Level		<1,500 gm 1,500-2,499 gm 2,500+ gm	7 1 6	:	Type of Motor Vehicle Crash Total Crashes	Persons Injured	
Compliant 3 Non-compliant Percent Compliant	30,093 1,501	Unknown		:	Alcohol-Related	2,199 245	26 14
Percent Compliant	95.2	Perinatal Mortality	Deaths	Rate	For OWI	163	2
		Total Perinatal Neonatal Fetal	23 6	10.7	For Speeding Motorcyclist	122 86	0 6
		Fetal	1/	•	Bicyclist Pedestrian	42 43	0 1

						ITALIZATIONS					
D. D			Average	A	Charge	DIOEAGE /			Average		Charge
DISEASE /	Nil	1,000	Stay		Per	DISEASE /	Misseleses	1,000			
AGE GROUP	Number	Р́ор	(Days)	Charge	Capita	AGE GROUP	Number	Рор	(Days)	Charge	Capita
Injury-Related						Alcohol-Relate					
Total	1,405	8.9	5.2	\$23,392	\$209	Total	310	2.0	4.1	\$8,593	\$17
<18	130	3.2	3.6	\$18,446	\$60	18-44	165	2.6	3.4	\$6,385	\$17
18-44	391	6.2	4.3	\$22,760	\$140	45-64	120	3.3		\$10,787	\$35
45-64	341	9.3	5.3	\$25,362	\$235	Pneumonia and	Influenza			•	
65+	543	31.3		\$23,792	\$745	Total	610	3.9	5.4	\$13,848	\$54
Injury: Hip	Fracture			. ,		<18	113	2.8	2.8	\$5,602	\$16
Ťotál	134	0.9	7.0	\$29,194	\$25	45-64	113	3.1		\$13,537	\$42
65+	119	6.9	6.9		\$195	65+	328	18.9	6.7	\$16,833	\$318
Injury: Pois				·,	*	Cerebrovascula				+ · · · , - · · ·	*
Total	177	1.1	2.6	\$8,793	\$10	Total	502	3.2	4.5	\$21,070	\$67
18-44	97	1.5	2.1	\$8,205	\$13	45-64	111	3.0		\$24,589	\$74
	0.			Ψ0,200	Ψ.σ	65+	369	21.3		\$19,107	\$406
Psychiatric						Chronic Obstru		onary [Disease	Ψ10,107	Ψίου
Total	1,385	8.8	7.6	\$8,291	\$73	Total	560	3.6	4 4	\$10,198	\$36
<18	387	9.7	8.7	\$9,278	\$90	<18	107	2.7		\$3,688	\$10
18-44	636	10.0	6.4	\$6,857	\$69	18-44	69	1.1	2.8	\$5,658	\$6
45-64	263	7.2	8.2	\$8,703	\$62	18-44 45-64 65+	153	4.2	4.4	\$11,119	\$46
65+	99	5.7	9.1	\$12,553	\$72	65+	231	13.3	6.0	\$13,959	\$186
051	99	5.7	9.1	Ψ12,333	Ψ12	Drug-Related	201	10.0	0.0	φ10,939	φιου
Coronary Heart	Dicesso					Total	119	0.8	3.7	\$5,121	\$4
Total	846	5.4	2.0	\$38,372	\$206	18-44	75	1.2	3.7		Ψ4 \$5
45-64	341	9.3		\$38,982	\$362	10-44	75	1.2	3.0	Ψ4,413	φυ
45-04 65+	449	25.9			\$995	Total Hasnital	lizotiono				
05+	449	25.9	4.7	\$38,445	\$ 995	Total Hospital	00 145	107.0	4 4	Φ1E 101	Φ1 026
Malianant Naan	100mo (Co	noono) .	A11			Total <18	20,145	01.9		\$15,131	
Malignant Neop Total	185115 (Ca 551		ATT	#00 070	Ф4 ОГ	18-44	3,652	91.2		\$6,773	\$618
		3.5		\$30,079	\$105	18-44	5,518	87.1	3.4	\$11,815	\$1,029
18-44	51	0.8		\$24,288	\$20	45-64		123.0		\$19,352	\$2,381
45-64	206	5.6	5.9	\$30,971	\$174	65+	6,454	3/2.1	5.7	\$19,738	\$7,344
65+	283	16.3	7.3	\$29,525	\$482	_	DEVENTABLE	HOODT	- A	ONO *	
Neoplasms: F	emate Bre	ast (ra	ites for	Temale po		F					
Total	27	0.3	2.9	\$17,142	\$6	Total	2,936	18.6		\$13,033	\$243
Neoplasms: C				4.0 4 - 1	400	<18	445	11.1	2.3	\$5,670	\$63
Total	63	0.4		\$49,171	\$20	18-44	404	6.4		\$10,167	\$65
65+	45	2.6	12.0	\$49,990	\$130	45-64	664	18.1	4.5	\$14,253	\$258
Neoplasms: L	ung				*	65+	1,423	82.0	5.9	\$15,580	\$1,278
Total	68	0.4	6.9	\$32,693	\$14						
Diabetes						* Hospitalization	ns for cond	itions	where t	imely and	effective
Total	237	1.5	5.0	\$15,703	\$24	ambulatory care of	can reduce	the lik	kelihood	of hospi	talization.
65+	67	3.9	6.3	\$16,847	\$65		· -	_ .		· - -	
	٠.			, ,	+						